




SERVICE PARTS LIST

BULLETIN NO.
PN0014005

SPECIFY CATALOG NO. AND SERIAL NO. WHEN ORDERING PARTS		REVISED BULLETIN	DATE
M18 FUEL™ STRIKER™ Hammer Chisel			Aug. 2026
CATALOG NO. 3771-20	SERIAL NO. S26A	WIRING INSTRUCTION See Page 3	
NAMEPLATE SPECIFICATIONS:		INPUT: 18 V = n 0 - 3 000 min-1(BPM)	





BILL OF MATERIALS (BOM)

FIG.	PART NO.	DESCRIPTION OF PART	NO. REQ.
1	34-60-5549	Chuck C-Ring	(1)
2	28-12-7994	Chuck Cap	(1)
3	42-38-1954	Chuck Bumper	(1)
4	45-88-2876	Chuck Washer	(1)
5	42-66-5661	Chuck Slide	(1)
6	02-40-7712	Chuck Ball	(4)
7	38-50-2559	Front Spindle	(1)
8	40-50-5884	Torsion Spring	(1)
9	06-65-4773	Spindle Pin Ring	(1)
11	42-06-5229	Anvil	(1)
12	34-40-6642	Spindle Pin	(8)
13	42-38-4119	Spindle Front Bumper	(1)
14	38-50-7446	Spindle	(1)
15	42-38-6443	Spindle Rear Bumper	(1)
16	45-56-8811	Striker	(1)
18	44-62-5547	Piston	(1)
19	30-94-3388	Connecting Rod	(1)
20	34-40-5114	Spindle O-Ring	(1)
21	44-60-6997	Wrist Pin	(1)
22	45-04-2554	Pin Ring Screw	(1)
23	-----	Gearcase	(1)
24	45-12-8843	Rubber Boot (Accessory)	(1)
25	-----	Retain Ring	(1)
26	-----	Crankshaft	(1)
27	42-40-1186	Bushing	(1)
28	-----	Gasket for Gearcase	(1)
29	43-44-2295	Gearcase Bottom	(1)
30	05-74-2675	M3 x 10 mm PH T-10 Machine Screw	(1)
31	05-74-0202	M4 x 16 mm PH T-20 Screw	(8)
32	44-90-7663	Bushing Seal Ring	(2)
33	45-88-0241	Flat Washer	(2)
34	06-82-2873	M5 x 17 mm PH T-25 Machine Screw	(2)
35	-----	Deep Groove Ball Bearing	(1)
36	-----	Retaining Ring	(1)
37	-----	Bevel Gear	(1)
38	-----	Snap Ring	(1)
39	-----	Gearcase Cap O-Ring	(1)
40	-----	Bearing	(1)
42	43-84-5527	Felt Plug	(2)
43	06-82-4002	M4 x 35 mm PH T-20 ST Screw	(2)
44	06-82-0995	Screw	(5)
45	-----	Housing Cover	(1)

FIG.	PART NO.	DESCRIPTION OF PART	NO. REQ.
46	-----	Housing Support	(1)
47	06-81-9555	M5 x 23 mm PH T-25 Machine Screw	(4)
48	-----	Isolator	(4)
49	-----	Bracket	(1)
50	-----	Rubber Slug, Isolator	(2)
51	-----	M3 x 8 mm FH Phillips #2 B ST Screw	(4)
52	-----	Isolator, With Rings	(1)
53	-----	Mode Select Light Pipe	(1)
54	-----	UI Button	(1)
55	-----	UI Bezel	(1)
56	-----	Logo Label	(1)
57	34-40-5266	Pinion Bearing O-Ring	(1)
58	-----	M4 x 8 mm FH T-15 Machine Screw	(2)
59	22-68-8733	Pinion Bearing Cover	(1)
63	45-06-0148	Motor Seal	(1)
64	-----	Pinion	(1)
65	-----	Bevel Pinion Sleeve	(1)
66	-----	Retaining Ring	(1)
67	-----	Rotor	(1)
68	-----	Ball Bearing	(1)
69	42-52-8555	Back Cap	(1)
70	06-82-4001	M4 x 22 mm PH T-20 ST Screw	(5)
71	-----	Wing Dampener, Isolator	(2)
72	10-15-9730	Product QR Label	(1)
74	12-20-3771	Service Nameplate	(1)
76	-----	Striker Ring Tool Male	(1)
77	-----	Striker Ring Tool Female	(1)
100	14-46-1208	Rotor Kit	(1)
101	31-44-7215	Electronics Assembly	(1)
102	14-34-8552	Handle Kit	(1)
103	14-46-2580	Mode Select Kit	(1)
104	14-46-2581	Isolator Kit	(1)
105	14-29-7531	Gearcase Assembly	(1)
106	31-15-4757	Gearcase Cap Assembly	(1)
108	42-76-0100	Chuck Kit	(1)
109	34-40-0127	Anvil O-ring Kit (2 Pack)	(1)
110	34-40-0239	O-ring Kit (2 Pack)	(1)
111	45-06-0082	Gearcase Seal Kit	(1)
150	49-16-3772	Boot (Not Shown) (Accessory)	(1)
151	49-16-3771	Full Chuck Replacement Kit	(1)
		(Accessory)	
152	49-16-3770	C Ring Replacement Kit	(1)
		(Accessory)	
153	49-16-3776	5PC Hammer Chisel Bit Set	(1)
		(Accessory) (Not Shown)	

LUBRICATION





SCREW TORQUE SPECIFICATIONS

FIG.	PART NO.	WHERE USED	SEAT TORQUE	
			kgf-cm	lb-in
22	45-04-2554	Gearcase	10±2	8.5±1.5
30	05-74-2675	Gearcase Bottom	8±2	6.5±1.5
31	05-74-0202	Gearcase Cap Assembly	32±2	27.5±1.5
31	05-74-0202	Gearcase Bottom	32±2	27.5±1.5
34	06-82-2873	Gearcase Assembly	75±5	65±4
43	06-82-4002	Handle Kit	24±2	20.5±1.5
44	06-82-0995	Handle Kit	20±2	17±1.5
47	06-81-9555	Handle Kit	75±8	65±6.5
51	-----	Bracket	3.5±0.5	3
58	-----	Pinion Bearing Cover	22±2	19±1.5
70	06-82-4001	Back Cap	20±2	17±1.5
70	06-82-4001	Handle Kit	16±2	13.5±1.5